

21. 10. 1953. 10. 1953. 10. 1953.

PTD/68/82 (09-02)

Approved for use through 11/30/2006. OMB 0651-0035

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

**REVOCATION OF POWER OF
ATTORNEY WITH
NEW POWER OF ATTORNEY
AND
CHANGE OF CORRESPONDENCE ADDRESS**

Application Number	10/782,484
Filing Date	02/18/04
First Named Inventor	Kiriatis Kiriatis
Art Unit	3743
Examiner Name	Patel, Nilir B.
Attorney Docket Number	MCTQ-P02650US1

I hereby revoke all previous powers of attorney given in the above-identified application.

☐ A Power of Attorney is submitted herewith.

OR

☒ I hereby appoint the practitioners associated with the Customer Number. 40816

☒ Please change the correspondence address for the above-identified application to:

☒ The product was accompanied with
Customer Number:

OR

☐ Firm or Individual Name

Address

Address

City

State

Zip

Country

Telephone

Fax

I am the:

☐ Applicant/Inventor.

☒ Assignee of record of the entire interest. See 37 CFR 3.71.
Statement under 37 CFR 3.73(b) is enclosed. (Form PTO/SB/96)

SIGNATURE of Applicant or Assignee of Record

Name	Mictoteg, LLC
------	---------------

Signature

Date _____

Telephone

NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required. Submit multiple forms if more than one signature is required, see below".

Total of _____ forms are submitted.

[illegible]

If you need assistance in completing this form, call 1-800-PTO-9188 and select option 2.


Best Available Copy

GOLDIZEN AND ASSOCIATES

INTELLECTUAL PROPERTY ATTORNEYS

505 S. Independence Blvd.
Suite 102
Virginia Beach, VA 23452

Direct Dial (757) 490-1151
Facsimile (757) 497-5560
<http://www.patentit4u.com>



January 18, 2006

Commissioner for Patents
P. O. Box 1450
Alexandria, VA 22313-1450

Re: U. S. Patent Application No. 10/782,494
SYSTEM, METHOD AND APPARATUS FOR DETECTING BREACH
OF EXPOSURE PROTECTION EQUIPMENT
Client Ref: STDL-P02650US1

Dear Sir:

On March 30, 2005, we filed a Revocation of Power of Attorney with New Power of Attorney and Change of Correspondence Address for the above-identified application. We asked that the practitioner and correspondence address to be associated with Customer Number 40816.

It appears the practitioner and correspondence address was changed to Customer Number 40616, which is not our Customer Number.

Enclosed please find a copy of the Revocation of Power of Attorney with New Power of Attorney and Change of Correspondence Address filed. Thank you for your assistance in this matter. If you have any questions or concerns, please do not hesitate to contact me.

Sincerely,

Bradley D. Goldizen

BDG/klf
Enclosure

Best Available Copy

PATENTS

TRADEMARKS

COPYRIGHTS

DOMAIN NAME DISPUTES

UNFAIR COMPETITION